HUAHAI LED

What do you expect from iPoster?

Let’s take more benefits from that








Die casting module


Die casting housing, for better alignment and good heat dissipation






Dimension of iPosterOnits plus)





Displaying mode



6pc iPoster resolution ratio is 16:9

Various installation way

Hanging



Floor Mounting



Wall Mounted



Wireless & Plug and play









More details of iPoster





More details of iPoster





More details of iPoster

Item	P1.75	P2	P2.5
Pixel Pitch	1.75mm	2.18mm	2.59mm
Module size	280mm*210mm	280mm*210mm	280mm*210mm
Module resolution	160X120	128X96	108X81
Cabinet resolution	345600	221184	157464
Maximum white balance brightness	≥1000cd/㎡	≥1000cd/㎡	≥1000cd/㎡
Device driver	1/40	1/32	1/27
Refresh rate	≥3960HZ	≥3960HZ	≥3960HZ
Power consumption (maximum/average)	400W/㎡/120W/㎡	400W/㎡/120W/㎡	400W/㎡/120W/㎡
Frame frequency	≥60HZ	≥60HZ	≥60HZ
Operating temperature/ humidity	-20℃～+60℃ / 10%-60%	-20℃～+60℃ / 10%-60%	-20℃～+60℃ / 10%-60%
Maintenance method	Front/Rear	Front/Rear	Front/Rear
Cabinet weight	≤27KG/㎡	≤27KG/㎡	≤27KG/㎡
Cabinet size（HxWxT）	1902mmx572mmx33mm	1902mmx572mmx33mm	1902mmx572mmx33mm

Accessories



HDMI




Receiving card



Ribbon cable




AC plug



Hub card



LED Module



Conneting plate



Magnet Removal Tool



Asyn Sending card

Package



Flight case

1 in 1 ,2 in 1 , 4 in1 are available



Nylon bag + Plywood case

1 iposter for one Nylon bag
4 iPoster for one plywood case



Color the world with latest LED technology

HUAHAI LED

7231 NW 54th street, Miami, Fl 33166

(305) 436-8650

www.huahai.us